
Large-Button Style

Wallstations

ntgrx-lb-3 01.16.04

Color and Finish Codes NTGRX-LB6-RL-__-3-Scene with Off and Raise/Lower Large Button Wallstation



Field Selected Functionality

DIP Switch Settings 5 6	Scene selection buttons activate:
	Scenes 1 to 3
	Scenes 9 to 11

Description

- Features easy to use large buttons.
- Mounts in a standard 1-gang U.S. wallbox.
- Allows user to select and adjust three scenes.
- Scene selection functionality can be selected in the field.
- Status LEDs indicate which scene is selected.
- Raise button brightens selected scene.
- Lower button dims selected scene.
- Off button turns all lights off.
- Works with GRAFIK Eye 3000 and 4000 Series Control Units.
- Selects scenes in just one Control Unit or a group of up to eight Control Units.

Finish and Engraving Options

- Amber LEDs are standard. Green LEDs are available at an additional charge.
- Standard matte-finish plastic faceplates have matching buttons.
- Metal-finish faceplates have black buttons.
- Other button color combinations are available at an additional charge.
- Optional engraving on buttons is recommended for ease-of-use.

LUTRON SPECIFICATION SUBMITTAL

Page

Job Name:	Model Numbers:	
Job Number:		

ntgrx-lb-5 01.16.04

Specifications - LB6

Power

Low-voltage type Class 2 (PELV). Operating voltage: 12/24 V Direct Current.

Key Design Features

- Meets IEC 801-2. Tested to withstand 15kV electro-static discharge without damage or memory loss.
- Faceplate snaps on with no visible means of attachment.
- Can be ganged to share a common face plate with NovaT*® and Vareo® Dimmers. Counts as a "small control" for ganging.

System Communications and Capacity

- Low-voltage type Class 2 (PELV) wiring connects Wallstations to Control Units and other components.
- Up to 8 Control Units and up to 16 total Wallstations and/or Control Interfaces may be linked for a total of 24 control points.


Terminals

Accept up to two #18 AWG (1.0mm²) typical.

Environment

32-104°F (0-40°C). Relative humidity less than 90% non-condensing.

Mounting



LUTRONSPECIFICATION SUBMITTAL

Job Name:	
-----------	--

Model Numbers:

Job Number:

Color and Finish Codes

Matte Finishes

Standard – Ship	in 48 hours	
White	WH	
lvory	IV	
Beige	BE	
Gray	GR	
Brown	BR	
Black	BL	
Metal Finishes		
Ship in 4 to 6 weeks		
Bright Brass	BB	
Bright Chrome	BC	
Bright Nickel	BN	

Satin Brass SB Satin Chrome SC Satin Nickel SN QB Antique Brass Antique Bronze QZ

Anodized Aluminum Finishes


Ship in 4 to 6 weeks Clear CLA Black BLA Brass BRA Е

Engraving


Also available: -Custom Controls -Color Matching Ship in 4 to 6 weeks. Pricing may vary depending on finish.


Dimensions

Front View









Page